


Trailer specifications

'25

A Transporter

Overview




		130-	4019-27-2-12	4519-27-2-12	4519-30-2-12	4520-30-2-12	4521-30-2-12	5020-30-2-12	5020-35-2-12	5021-30-2-12	5021-35-2-12	5520-30-2-12
DIMENSIONS		dimensions in metres										
Bed width	A	1.9	1.9	1.9	2	2.1	2	2	2	2.1	2.1	2
Overall width (excl. marker lamp)	B	2.29	2.29	2.29	2.39	2.49	2.39	2.39	2.39	2.49	2.49	2.39
Overall width (inc. marker lamp)	C	2.64	2.64	2.64	2.74	2.84	2.74	2.74	2.74	2.84	2.84	2.74
Bed length	D	4.03	4.53	4.53	4.53	4.53	5.03	5.03	5.03	5.03	5.03	5.53
Overall length	E	5.7	6.2	6.2	6.2	6.2	6.7	6.7	6.7	6.7	6.7	7.2
Bed height	F	0.52	0.52	0.52	0.52	0.52	0.52	0.5	0.5	0.52	0.5	0.52
CAPACITY		weight in kg										
Gross capacity		2,700	2,700	3,000	3,000	3,000	3,000	3,500	3,000	3,500	3,000	3,000
Load capacity		1,955	1,945	2,245	2,230	2,215	2,200	2,665	2,180	2,645	2,165	2,165
LOADING ANGLES												
Fixed bed		11.5°	11.5°	11.5°	11.5°	11.5°	11.5°	10.5°	11.5°	10.5°	11.5°	11.5°
Tilt bed		7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

A Transporter

Overview cont.



		130-		
		5520-35-2-12	5521-30-2-12	5521-35-2-12
DIMENSIONS		dimensions in metres		
Bed width	A	2	2.1	2.1
Overall width (excl. marker lamp)	B	2.39	2.49	2.49
Overall width (inc. marker lamp)	C	2.74	2.84	2.84
Bed length	D	5.53	5.53	5.53
Overall length	E	7.2	7.2	7.2
Bed height	F	0.5	0.52	0.5

CAPACITY		weight in kg		
Gross capacity		3,500	3,000	3,500
Load capacity		2,630	2,140	2,605

LOADING ANGLES				
Fixed bed		10.5°	11.5°	10.5°
Tilt bed		7.5°	7.5°	7.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]


A Transporter

Equipment cont.

	130-		
	5520-35-2-12	5521-30-2-12	5521-35-2-12
DECK	● Standard ○ Option		
Slick pads x4	○	○	○
EXTERIOR			
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●
Full LED lighting	●	●	●
LOADING			
Loading ramps - 2m	●	●	●
Manual / Electric tilt-bed	○	○	○
Manual / Electric winch	○	○	○
Support stands	●	●	●
LOAD RESTRAINT			
Tie-down straps	○	○	○
Wheel chocks	○	○	○
RUNNING GEAR			
Alloy wheels - Anthracite	●	●	●
Steel wheels	○	○	○
Spare wheel	●	●	●
Locking hitch	●	●	●
STORAGE			
Deck storage	●	●	●
Fuel can storage	○	○	○
Tyre rack	○	○	○

Box Van

Overview




		600-									
		3016-27-2-12-B	3016-27-2-12-W	3516-27-2-12-B	3516-27-2-12-W	3518-27-2-12-B	3518-27-2-12-W	4018-27-2-12-B	4018-27-2-12-W	4018-35-2-12-B	4018-35-2-12-W
Body colour		Black	White	Black	White	Black	White	Black	White	Black	White
DIMENSIONS											
dimensions in metres											
Bed width	A	1.60	1.60	1.60	1.60	1.80	1.80	1.80	1.80	1.80	1.80
Overall width	B	2.08	2.08	2.08	2.08	2.28	2.28	2.28	2.28	2.28	2.28
Bed length	C	3.00	3.00	3.50	3.50	3.50	3.50	4.00	4.00	4.00	4.00
Overall length	D	4.87	4.87	5.37	5.37	5.37	5.37	5.87	5.87	5.89	5.89
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59
CAPACITY											
weight in kg											
Gross capacity		2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	3,500	3,500
Load capacity		1,845	1,845	1,790	1,790	1,740	1,740	1,680	1,680	2,445	2,445
LOADING ANGLES											
– Not available											
Fixed bed		10°	10°	10°	10°	10°	10°	10°	10°	10°	10°
Tilt bed		–	–	–	–	–	–	–	–	–	–

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Box Van

Overview cont.



	600-						
	4519-30-2-12-B	4519-30-2-12-W	4519-35-2-12-B	4519-35-2-12-W	5019-35-2-12-B	5019-35-2-12-W	
Body colour	Black	White	Black	White	Black	White	

DIMENSIONS cont.		dimensions in metres					
Bed width	A	1.95	1.95	1.95	1.95	1.95	1.95
Overall width	B	2.43	2.43	2.43	2.43	2.43	2.43
Bed length	C	4.50	4.50	4.50	4.50	5.00	5.00
Overall length	D	6.37	6.37	6.39	6.39	6.79	6.79
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.00	2.00	2.00	2.00	2.00	2.00
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59

CAPACITY cont.		weight in kg					
Gross capacity		3,000	3,000	3,500	3,500	3,500	3,500
Load capacity		1,875	1,875	2,355	2,355	2,270	2,270

LOADING ANGLES		– Not available					
Fixed bed		10°	10°	10°	10°	10°	10°
Tilt bed		–	–	–	–	–	–

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment


[illegible]

Box Van

Equipment

		600-					
		4519-30-2-12-B	4519-30-2-12-W	4519-35-2-12-B	4519-35-2-12-W	5019-35-2-12-B	5019-35-2-12-W
ACCESSORIES		● Standard ○ Option – Not available					
	Rear-view camera	○	○	○	○	○	○
	Spare wheel cover	○	○	○	○	○	○
DECK							
	Aluminium deck overly	○	○	○	○	○	○
EXTERIOR							
	Full LED lighting	●	●	●	●	●	●
	Gullwing side doors	–	–	–	–	–	–
	Pedestrian doors	●	●	●	●	●	●
	Side step	○	○	○	○	○	○
	Side step x2	○	○	○	○	○	○
INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Multi-function rear doors	●	●	●	●	●	●
	Support stands	●	●	●	●	●	●
LOAD RESTRAINT							
	Bicycle stand	○	○	○	○	○	○
	Bicycle stand x2	○	○	○	○	○	○
	Kart racking and wheel storage	○	○	○	○	○	○
	Load lock rails	●	●	●	●	●	●
	Load lock rails - High and low	○	○	○	○	○	○
	Motorcycle stand	○	○	○	○	○	○
	Motorcycle stand x2	○	○	○	○	○	○
	Shoring pole	○	○	○	○	○	○
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Steel wheels	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Store station	○	○	○	○	○	○

Chassis Plant



Overview

		560-	
		2813-27-2-13	3813-35-2-12
DIMENSIONS		dimensions in metres	
Bed width	A	1.3	1.3
Overall width	B	1.83	1.94
Bed length	C	2.8	3.8
Overall length	D	4.56	5.52
Bed height	E	0.47	0.44

CAPACITY		weight in kg	
Gross capacity		2,700	3,500
Load capacity		2,240	2,975


Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

		560-	
		2813-27-2-13	3813-35-2-12
EXTERIOR		● Standard	○ Option
4x adjustable cross members		●	●
Full LED lighting		●	●
Heavy-duty metal mudguards		●	●
LOADING			
Front support stands		○	●
Rear support stands		●	●
RUNNING GEAR			
40mm eye coupling		○	○
Locking hitch		●	●
Spare wheel		●	●
Wheel nut indicators		●	●

Connect

Overview



		476-	3118-26-2-13	3118-30-2-10	3618-26-2-13	3618-30-2-10	3620-35-2-12	3621-35-2-12	4020-35-2-12	4021-35-2-12	4521-35-3-10	4521-35-2-12
DIMENSIONS		dimensions in metres										
Bed width (excl. sides)	A	1.88	1.88	1.88	1.88	1.88	1.99	2.13	1.92	2.13	2.13	2.13
Bed width (inc. sides)	B	1.78	1.78	1.78	1.78	1.78	1.89	2.03	1.82	2.03	2.03	2.03
Overall width (excl. marker lamp)	C	1.9	1.9	1.9	1.9	1.9	2.01	2.15	2.01	2.15	2.15	2.15
Overall width (inc. marker lamp)	D	–	–	–	–	–	2.18	2.32	2.18	2.32	2.32	2.32
Bed length	E	3.17	3.17	3.67	3.67	3.67	3.67	3.67	4.07	4.07	4.59	4.59
Overall length	F	4.69	4.74	5.19	5.24	5.24	5.27	5.27	5.67	5.94	6.13	6.13
Bed height	G	0.7	0.59	0.7	0.59	0.59	0.65	0.65	0.65	0.65	0.59	0.65

CAPACITY		weight in kg										
Gross capacity		2,600	3,000	2,600	3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,030	2,425	2,005	2,400	2,825	2,805	2,785	2,755	2,665	2,665	2,725


		5021-35-3-10	5021-35-2-12	5021-35-3-12	5022-35-3-10	5022-35-2-12	5022-35-3-12	5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10
DIMENSIONS		dimensions in metres									
Bed width (excl. sides)	A	2.13	2.13	2.13	2.27	2.27	2.27	2.13	2.13	2.13	2.27
Bed width (inc. sides)	B	2.03	2.03	2.03	2.17	2.17	2.17	2.03	2.03	2.03	2.17
Overall width (excl. marker lamp)	C	2.15	2.15	2.15	2.29	2.29	2.29	2.15	2.15	2.15	2.29
Overall width (inc. marker lamp)	D	2.32	2.32	2.32	2.46	2.46	2.46	2.32	2.32	2.32	2.46
Bed length	E	5.07	5.07	5.07	5.07	5.07	5.07	5.57	5.57	5.57	5.57
Overall length	F	6.58	6.58	6.58	6.58	6.58	6.58	7.17	7.17	7.17	7.17
Bed height	G	0.59	0.65	0.59	0.59	0.65	0.65	0.59	0.65	0.65	0.59

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,635	2,695	2,625	2,605	2,665	2,595	2,605	2,665	2,595	2,575

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Connect

Overview cont.



		476-	5522-35-2-12	5522-35-3-12	5524-35-3-12	6022-35-3-12	6024-35-3-12
DIMENSIONS		dimensions in metres					
Bed width (excl. sides)	A	2.27	2.27	2.41	2.27	2.41	
Bed width (inc. sides)	B	2.17	2.17	2.31	2.17	2.31	
Overall width (excl. marker lamp)	C	2.29	2.29	2.43	2.29	2.43	
Overall width (inc. marker lamp)	D	2.46	2.46	2.6	2.46	2.6	
Bed length	E	5.57	5.57	5.57	6.09	6.09	
Overall length	F	7.17	7.17	7.17	7.63	7.63	
Bed height	G	0.65	0.65	0.65	0.65	0.65	

CAPACITY		weight in kg				
Gross capacity		3,500	3,500	3,500	3,500	3,500
Load capacity		2,635	2,565	2,535	2,535	2,505

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

[illegible]

Equipment cont.

[illegible]


Connect

Equipment cont.

	476-				
	5522-35-2-12	5522-35-3-12	5524-35-3-12	6022-35-3-12	6024-35-3-12
EXTERIOR	● Standard ○ Option				
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●	●	●
Full exterior LED lighting	●	●	●	●	●
DECK					
Deck storage	○	○	○	○	○
LOADING					
Battery w/ charger	○	○	○	○	○
Loading ramps - 1.8m	○	○	○	○	○
Loading ramps - 2.35m	○	○	○	○	○
Tail panel - 0.77m	○	○	○	○	○
Tail panel torsion bar	○	○	○	○	○
Tail panel assistor ramps	○	○	○	○	○
High-mesh tail panel - 1.66m	○	○	○	○	○
High-mesh tail panel - 1.8m	○	○	○	○	○
Manual / Electric tilt-bed	○	○	○	○	○
Manual / Electric winch	○	○	○	○	○
Support stands	○	○	○	○	○
LOAD RESTRAINT					
Tie-down straps	○	○	○	○	○
Wheel chocks / Stop bar	○	○	○	○	○
OPTION PACKS					
Electric assistance pack - includes: Electric winch, hydraulics, on-board battery & battery charger	○	○	○	○	○
RUNNING GEAR					
Alloy wheels - Anthracite	○	○	○	○	○
Eye coupling	○	○	○	○	○
Locking hitch	●	●	●	●	●
Spare wheel	●	●	●	●	●
SIDES					
Dropsides - available in 5 colours	○	○	○	○	○
Headboard - available in 5 colours	○	○	○	○	○
Ladder rack	○	○	○	○	○
Side extensions	○	○	○	○	○

Digger Plant

Overview



		543-	2813-27-2-13	2813-35-2-12	3216-35-2-12	3217-35-2-12	3717-35-2-12
DIMENSIONS		dimensions in metres					
Bed width	A	1.3	1.3	1.6	1.7	1.7	
Overall width (excl. marker lamp)	B	1.78	1.78	2.1	2.32	2.32	
Overall width (inc. marker lamp)	C	–	–	–	2.5	2.5	
Bed length	D	2.8	2.8	3.2	3.2	3.7	
Overall length	E	4.65	4.65	5.2	5.2	5.7	
Bed height	F	0.38	0.4	0.4	0.4	0.4	

CAPACITY		weight in kg					
Gross capacity		2,700	3,500	3,500	3,500	3,500	
Load capacity		2,152	2,893	2,830	2,798	2,736	

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk


Digger Plant - A

Overview

		543-
		3217-35-2-12-A
DIMENSIONS		dimensions in metres
Bed width	A	1.7
Overall width (excl. marker lamp)	B	2.32
Overall width (inc. marker lamp)	C	2.5
Bed length	D	3.2
Overall length (fully extended)	E	5.64
Overall length (fully retracted)	F	5.39
Overall length (60° retracted)	G	5.63
Bed height	H	0.4

CAPACITY		weight in kg
Gross capacity		3,500
Load capacity		2,714

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at
www.brianjamestrailers.co.uk




Digger Plant

Equipment

		543-			
		2813-27-2-13	2813-35-2-12	3217-35-2-12	3717-35-2-12
EXTERIOR		● Standard ○ Option			
Full exterior LED lighting		●	●	●	●
LOADING					
Adjustable loading ramps - 1.62m		●	●	●	●
Twin ramp loading panel - 1.62m		○	○	○	○
Heavy-duty loading panel - 1.7m		○	○	○	○
Chapter 8 chevrons		○	○	○	○
Manual / Electric winch		○	○	○	○
LOAD RESTRAINT					
Bucket locker		○	○	○	○
Bucket rest		●	●	●	●
Digger arm lock		○	○	○	○
Tie-down straps		○	○	○	○
TracStrap		○	○	○	○
Heavy-duty TracStrap		○	○	○	○
Wheel chocks / Stop bar		○	○	○	○
RUNNING GEAR					
Eye coupling		○	○	○	○
Locking hitch		●	●	●	●
Spare wheel		●	●	●	●

General Plant

Overview



		551-	2713-27-2-13	2716-27-2-13	3116-27-2-13	3117-35-2-13	3617-35-2-13	3618-35-3-12	4017-35-2-13	4018-35-3-12
DIMENSIONS		dimensions in metres								
Bed width	A	1.3	1.6	1.6	1.7	1.7	1.8	1.7	1.8	
Overall width (excl. marker lamp)	B	1.91	2.21	2.21	2.31	2.31	2.41	2.31	2.41	
Overall width (inc. marker lamp)	C	–	2.4	2.4	2.5	2.5	2.6	2.5	2.6	
Bed length	D	2.8	2.8	3.2	3.2	3.7	3.7	4.1	4.1	
Overall length	E	4.4	4.4	4.8	4.8	5.3	5.3	5.7	5.7	
Bed height	F	0.45	0.45	0.45	0.43	0.43	0.43	0.43	0.43	
CAPACITY		weight in kg								
Gross capacity		2,700	2,700	2,700	3,500	3,500	3,500	3,500	3,500	
Load capacity		2,113	2,063	2,031	2,766	2,717	2,646	2,698	2,623	

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk


General Plant

Equipment

	551-							
	2713-27-2-13	2716-27-2-13	3116-27-2-13	3117-35-2-13	3617-35-2-13	3618-35-3-12	4017-35-2-13	4018-35-3-12
EXTERIOR								
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●	●	●	●	●	●
Full exterior LED lighting	●	●	●	●	●	●	●	●
LOADING								
Loading ramps - 1.62m	●	●	●	●	●	●	●	●
Chapter 8 chevrons	○	○	○	○	○	○	○	○
Heavy-duty tail panel	○	○	○	○	○	○	○	○
Aluminium mesh tail panel	○	○	○	○	○	○	○	○
Manual / Electric winch	○	○	○	○	○	○	○	○
LOAD RESTRAINT								
Bucket rest	○	○	○	○	○	○	○	○
Digger arm lock	○	○	○	○	○	○	○	○
Tie-down straps	○	○	○	○	○	○	○	○
TracStrap	○	○	○	○	○	○	○	○
Wheel chocks / Stop bar	○	○	○	○	○	○	○	○
RUNNING GEAR								
Locking hitch	●	●	●	●	●	●	●	●
Eye coupling	○	○	○	○	○	○	○	○
Spare wheel	●	●	●	●	●	●	●	●
SIDES								
Double-height side extensions - available in 5 colours	○	○	○	○	○	○	○	○
Ladder rack	○	○	○	○	○	○	○	○
Side extensions	○	○	○	○	○	○	○	○
STORAGE								
Storage lockers	○	○	○	○	○	○	○	○

Race Box

Overview



		610-					
		4019-30-2-12-B	4019-30-2-12-W	4519-30-2-12-B	4519-30-2-12-W	5019-30-2-12-B	5019-30-2-12-W
Body colour		Black	White	Black	White	Black	White
DIMENSIONS							
dimensions in metres							
Bed width	A	1.93	1.93	1.93	1.93	1.93	1.93
Overall width	B	2.43	2.43	2.43	2.43	2.43	2.43
Bed length	C	4.19	4.19	4.69	4.69	5.09	5.09
Overall length	D	5.83	5.83	6.37	6.37	6.32	6.73
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.01	2.01	2.01	2.01	2.01	2.01
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59
CAPACITY							
weight in kg							
Gross capacity		3,000	3,000	3,000	3,000	3,000	3,000
Load capacity		1,950	1,950	1,910	1,910	1,865	1,865
LOADING ANGLES							
– Not available							
Fixed bed		10°	10°	10°	10°	10°	10°
Tilt bed		–	–	–	–	–	–


Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Race Box

Equipment

		610-					
		4019-30-2-12-B	4019-30-2-12-W	4519-30-2-12-B	4519-30-2-12-W	5019-30-2-12-B	5019-30-2-12-W
ACCESSORIES		● Standard ○ Option					
	Rear-view camera	○	○	○	○	○	○
	Spare wheel cover	○	○	○	○	○	○
EXTERIOR							
	Full LED lighting	●	●	●	●	●	●
	Gullwing side doors	●	●	●	●	●	●
	Pedestrian doors	●	●	●	●	●	●
INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Battery w/ charger	○	○	○	○	○	○
	Electric winch	○	○	○	○	○	○
	Full-width loading door	●	●	●	●	●	●
	Support stands	●	●	●	●	●	●
LOAD RESTRAINT							
	Load lock rail	●	●	●	●	●	●
	Slick pads x4	○	○	○	○	○	○
	Festestroppene	○	○	○	○	○	○
	Tyre rack	○	○	○	○	○	○
	Wheel chocks	○	○	○	○	○	○
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Steel wheels	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Store station	○	○	○	○	○	○

Race Shuttle



Overview

		330-	
		4319-26-2-12	4719-30-2-12
DIMENSIONS		dimensions in metres	
Bed width	A	1.95	1.95
Overall width	B	2.32	2.34
Bed length	C	4.3	4.7
Overall length	D	5.82	6.2
Bed height	E	0.42	0.42
Internal height	F	1.53	1.6
Door aperture height	G	2.4	2.5
Overall height	H	1.94	1.99

CAPACITY		weight in kg	
Gross capacity		2,600	3,000
Load capacity		1,765	2,070


Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

		330-	
		4319-26-2-12	4719-30-2-12
EXTERIOR		● Standard	○ Option
Full LED lighting		●	●
LOADING			
Loading ramps - 2.5m		●	●
Manual / Electric winch		○	○
Manual tilt-bed		●	●
LOAD RESTRAINT			
Tie-down straps		●	●
Wheel chocks / Stop bar		○	○
RUNNING GEAR			
Alloy wheels - Anthracite		●	●
Locking hitch		●	●
Spare wheel		●	●
STORAGE			
Tyre rack		○	○

Race Sport

Overview




		341-	5020-30-2-12-B	5020-30-2-12-W	5020-35-2-12-B	5020-35-2-12-W	5021-30-2-12-B	5021-30-2-12-W	5021-35-2-12-B	5021-35-2-12-W	5520-30-2-12-B	5520-30-2-12-W
DIMENSIONS			dimensions in metres									
Bed width	A	2.0	2.0	2.0	2.0	2.1	2.1	2.1	2.1	2.1	2.0	2.0
Overall width	B	2.39	2.39	2.39	2.39	2.49	2.49	2.49	2.49	2.49	2.39	2.39
Bed length	C	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.53	5.53
Overall length	D	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	7.4	7.4
Bed height	E	0.52	0.52	0.5	0.5	0.52	0.52	0.5	0.5	0.5	0.52	0.52
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.56	2.56	2.54	2.54	2.56	2.56	2.54	2.54	2.54	2.56	2.56
CAPACITY			weight in kg									
Gross capacity		3,000	3,000	3,500	3,500	3,000	3,000	3,500	3,500	3,500	3,000	3,000
Load capacity		1,700	1,700	2,170	2,170	1,685	1,685	2,150	2,150	2,150	1,670	1,670
LOADING ANGLES												
Fixed bed		13°	13°	11.5°	11.5°	13°	13°	11.5°	11.5°	11.5°	13°	13°
Tilt bed		6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Race Sport

Overview cont.



		341-	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W
DIMENSIONS			dimensions in metres					
Bed width	A	2.0	2.0	2.1	2.1	2.1	2.1	2.1
Overall width	B	2.39	2.39	2.49	2.49	2.49	2.49	2.49
Bed length	C	5.53	5.53	5.53	5.53	5.53	5.53	5.53
Overall length	D	7.4	7.4	7.4	7.4	7.4	7.4	7.4
Bed height	E	0.5	0.5	0.52	0.52	0.5	0.5	0.5
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.54	2.54	2.56	2.56	2.54	2.54	2.54

CAPACITY		weight in kg					
Gross capacity	3,500	3,500	3,000	3,000	3,500	3,500	3,500
Load capacity	2,140	2,140	1,650	1,650	2,115	2,115	2,115

LOADING ANGLES		11.5°	11.5°	13°	13°	11.5°	11.5°
Fixed bed	11.5°	11.5°	13°	13°	11.5°	11.5°	11.5°
Tilt bed	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°	6.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]


Race Sport

Equipment

	341-						
	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W	
ACCESSORIES	● Standard ○ Option						
Awning - available as LH, RH & both	○	○	○	○	○	○	
Mains power unit	○	○	○	○	○	○	
360° camera	○	○	○	○	○	○	
Rear-view camera	○	○	○	○	○	○	
Reverse / Rear-view camera	○	○	○	○	○	○	
Solar panel	○	○	○	○	○	○	
DECK							
Slick pads x4	○	○	○	○	○	○	
EXTERIOR							
Front access hatches	●	●	●	●	●	●	
Split side doors	●	●	●	●	●	●	
LIGHTING - EXTERIOR							
Flashing side marker lights	○	○	○	○	○	○	
Full LED lighting	●	●	●	●	●	●	
Loading lights	○	○	○	○	○	○	
Reverse lights	○	○	○	○	○	○	
LIGHTING - INTERIOR							
Full LED lighting	●	●	●	●	●	●	
LOADING							
Battery w/ charger	●	●	●	●	●	●	
Manual / Electric tilt-bed	○	○	○	○	○	○	
Assistor ramps	○	○	○	○	○	○	
Race ramps	○	○	○	○	○	○	
Electric winch	●	●	●	●	●	●	
Support stands	●	●	●	●	●	●	
LOAD RESTRAINT							
Tie-down straps	●	●	●	●	●	●	
Wheel chocks	●	●	●	●	●	●	
RUNNING GEAR							
Alloy wheels - Anthracite	●	●	●	●	●	●	
Steel wheels	○	○	○	○	○	○	
Spare wheel	●	●	●	●	●	●	
Locking hitch	●	●	●	●	●	●	
STORAGE							
Deck storage	●	●	●	●	●	●	
Store station	○	○	○	○	○	○	
Tyre rack / Workbench	○	○	○	○	○	○	

Race Transporter 7

Overview



	397-										
	5520-35-2-12-B	5520-35-2-12-W	5520-35-3-10-B	5520-35-3-10-W	5521-35-2-12-B	5521-35-2-12-W	5521-35-3-10-B	5521-35-3-10-W	5523-35-2-12-B	5523-35-2-12-W	
Body colour	Black	White	Black	White	Black	White	Black	White	Black	White	

DIMENSIONS		dimensions in metres									
Bed width	A	2.02	2.02	2.02	2.02	2.12	2.12	2.12	2.12	2.3	2.3
Overall width	B	2.28	2.28	2.28	2.28	2.38	2.38	2.38	2.38	2.55	2.55
Bed length	C	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66
Overall length	D	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43
Bed height	E	0.63	0.63	0.61	0.61	0.63	0.63	0.61	0.61	0.63	0.63
Internal height	F	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.7	2.7	2.69	2.69	2.7	2.7	2.69	2.69	2.7	2.7

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,170	2,170	2,100	2,100	2,155	2,155	2,085	2,085	2,135	2,135

	5523-35-3-10-B	5523-35-3-10-W	6023-35-2-12-B	6023-35-2-12-W	6023-35-3-10-B	6023-35-3-10-W
Body colour	Black	White	Black	White	Black	White

DIMENSIONS cont.		dimensions in metres					
Bed width	A	2.3	2.3	2.3	2.3	2.3	2.3
Overall width	B	2.55	2.55	2.55	2.55	2.55	2.55
Bed length	C	5.66	5.66	6.16	6.16	6.16	6.16
Overall length	D	7.43	7.43	7.93	7.93	7.93	7.93
Bed height	E	0.61	0.61	0.63	0.63	0.61	0.61
Internal height	F	1.94	1.94	1.94	1.94	1.94	1.94
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.69	2.69	2.7	2.7	2.69	2.69

CAPACITY cont.		weight in kg					
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,060	2,060	2,075	2,075	2,000	2,000

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]


Race Transporter 7

Equipment cont.

		397-					
		5523-35-3-10-B	5523-35-3-10-B	6023-35-2-12-B	6023-35-2-12-W	6023-35-3-10-B	6023-35-3-10-W
ACCESSORIES				● Standard	○ Option		
	Awning - available as LH, RH & both	○	○	○	○	○	○
	Mains power unit	○	○	○	○	○	○
	360° camera	○	○	○	○	○	○
	Rear-view camera	○	○	○	○	○	○
	Reverse / Rear-view camera	○	○	○	○	○	○
	Solar panel	○	○	○	○	○	○
DECK							
	Lightweight 'Scaffodeck' floor	●	●	●	●	●	●
	Heavy-duty steel deck pads	●	●	●	●	●	●
EXTERIOR							
	Additional height (+220mm)	○	○	○	○	○	○
	Front access hatches	●	●	●	●	●	●
	Split side doors	●	●	●	●	●	●
LIGHTING - EXTERIOR							
	Flashing side marker lights	○	○	○	○	○	○
	Full LED lighting	●	●	●	●	●	●
	Loading lights	●	●	●	●	●	●
	Reverse lights	●	●	●	●	●	●
LIGHTING - INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Battery w/ charger	●	●	●	●	●	●
	Electric tilt-bed	●	●	●	●	●	●
	Electric rear door / ramp	●	●	●	●	●	●
	Assistor ramps	○	○	○	○	○	○
	Race ramps	○	○	○	○	○	○
	Electric winch	●	●	●	●	●	●
	Heavy-duty electric winch	○	○	○	○	○	○
LOAD RESTRAINT							
	Tie-down straps	●	●	●	●	●	●
	Wheel chocks / Stop bar	●	●	●	●	●	●
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Spare wheel w/ cover	●	●	●	●	●	●
	Additional spare wheel w/ cover	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Deck storage	●	●	●	●	●	●
	Store station	○	○	○	○	○	○
	Tyre rack / Workbench / Vice	○	○	○	○	○	○

Tipper

Overview



		526-	3116-27-2-12	3116-27-2-13	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
DIMENSIONS		dimensions in metres							
Bed width (excl. sides)	A	1.69	1.69	1.69	2.09	2.09	2.09	2.09	2.09
Bed width (inc. sides)	B	1.6	1.6	1.6	2.0	2.0	2.0	2.0	2.0
Overall width (excl. marker lamp)	C	1.71	1.71	1.71	2.11	2.11	2.11	2.11	2.11
Overall width (inc. marker lamp)	D	–	–	–	2.34	2.34	2.34	2.34	2.34
Bed length	E	3.2	3.2	3.2	3.7	3.7	4.1	4.1	4.1
Overall length	F	4.53	4.53	4.53	5.03	5.03	5.43	5.43	5.43
Bed height	G	0.71	0.73	0.73	0.73	0.71	0.73	0.73	0.71
CAPACITY		weight in kg							
Gross capacity		2,700	2,700	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		1,830	1,830	2,495	2,361	2,328	2,370	2,300	2,300

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk


Tipper

Equipment

	526-						
	3116-27-2-12	3116-27-2-13	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
DECK				● Standard	○ Option	– Not available	
Reinforced deck	●	●	●	●	●	●	●
EXTERIOR							
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●	●	●	●	●
Full exterior LED lighting	●	●	●	●	●	●	●
HYDRAULIC RAMS							
Single ram	●	●	●	–	–	–	–
Twin rams	–	–	–	●	●	●	●
LOADING							
Electric winch	○	○	○	○	○	○	○
Loading ramps - 1.8m or 2.35m	○	○	○	○	○	○	○
Support stands	○	○	○	○	○	○	○
LOAD RESTRAINT							
Tie-down straps	○	○	○	○	○	○	○
RUNNING GEAR							
Alloy wheels - Anthracite	○	○	○	○	○	○	○
Battery w/ trickle charger	●	●	●	●	●	●	●
Mains battery charger	○	○	○	○	○	○	○
Locking hitch	●	●	●	●	●	●	●
Spare wheel	●	●	●	●	●	●	●
SIDES							
2-way tailgate - available in 5 colours	●	●	●	●	●	●	●
Side-hinged doors	○	○	○	○	○	○	○
Dropsides - available in 5 colours	●	●	●	●	●	●	●
Double-height side extensions - available in 5 colours	○	○	○	○	○	○	○
Side extensions	○	○	○	○	○	○	○
Heavy-duty side extensions	○	○	○	○	○	○	○
Ladder rack	○	○	○	○	○	○	○
STORAGE							
Storage box	●	●	●	●	●	●	●

T Transporter

Overview



		231-	4520-30-2-10	4520-35-2-12	4521-35-3-10	4521-35-2-12	5021-35-3-10	5021-35-2-12	5021-35-3-12	5022-35-3-10	5022-35-2-12	5022-35-3-12
DIMENSIONS			dimensions in metres									
Bed width (excl. sides)	A	2.0	2.0	2.14	2.14	2.14	2.14	2.14	2.14	2.28	2.28	2.28
Bed width (inc. sides)	B	1.96	1.96	2.1	2.1	2.1	2.1	2.1	2.1	2.24	2.24	2.24
Overall width (excl. marker lamp)	C	2.04	2.04	2.18	2.18	2.18	2.18	2.18	2.18	2.32	2.32	2.32
Overall width (inc. marker lamp)	D	2.23	2.23	2.37	2.37	2.37	2.37	2.37	2.37	2.51	2.51	2.51
Bed length	E	4.52	4.52	4.52	4.52	5.02	5.02	5.02	5.02	5.02	5.02	5.02
Overall length	F	6.09	6.09	6.09	6.09	6.6	6.6	6.6	6.6	6.6	6.6	6.6
Bed height	G	0.59	0.65	0.59	0.65	0.59	0.65	0.65	0.65	0.59	0.65	0.65

CAPACITY		weight in kg										
Gross capacity		3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,212	2,677	2,607	2,662	2,545	2,605	2,540	2,535	2,585	2,530	2,530

		5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10	5522-35-2-12	5522-35-3-12	5523-35-3-12	6022-35-3-12	6023-35-3-12
DIMENSIONS		dimensions in metres								
Bed width (excl. sides)	A	2.14	2.14	2.14	2.28	2.28	2.28	2.42	2.28	2.42
Bed width (inc. sides)	B	2.1	2.1	2.1	2.24	2.24	2.24	2.38	2.24	2.38
Overall width (excl. marker lamp)	C	2.18	2.18	2.18	2.32	2.32	2.32	2.46	2.32	2.46
Overall width (inc. marker lamp)	D	2.37	2.37	2.37	2.51	2.51	2.51	2.65	2.51	2.65
Bed length	E	5.52	5.52	5.52	5.52	5.52	5.52	5.52	6.02	6.02
Overall length	F	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.6	7.6
Bed height	G	0.59	0.65	0.65	0.59	0.65	0.65	0.65	0.65	0.65

CAPACITY		weight in kg								
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,605	2,575	2,515	2,490	2,550	2,480	2,450	2,450	2,420

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]

