


Connect



Overview

		476-									
		3118-30-2-10	3618-30-2-10	3620-35-2-12	4020-35-2-12	4021-35-2-12	4521-35-3-10	4521-35-2-12	5021-35-3-10	5021-35-2-12	5021-35-3-12
DIMENSIONS		dimensions in metres									
Bed width (excl. sides)	A	1.88	1.88	1.99	1.92	2.13	2.13	2.13	2.13	2.13	2.13
Bed width (inc. sides)	B	1.78	1.78	1.89	1.82	2.03	2.03	2.03	2.03	2.03	2.03
Overall width (excl. marker lamp)	C	1.9	1.9	2.01	2.01	2.15	2.15	2.15	2.15	2.15	2.15
Overall width (inc. marker lamp)	D	-	-	2.18	2.18	2.32	2.32	2.32	2.32	2.32	2.32
Bed length	E	3.17	3.67	3.67	4.07	4.07	4.59	4.59	5.07	5.07	5.07
Overall length	F	4.74	5.24	5.27	5.67	5.94	6.13	6.13	6.58	6.58	6.58
Bed height	G	0.59	0.59	0.65	0.65	0.65	0.59	0.65	0.59	0.65	0.59

CAPACITY		weight in kg									
Gross capacity		3,000	3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,425	2,400	2,825	2,785	2,755	2,665	2,725	2,635	2,695	2,625

		5022-35-3-10	5022-35-2-12	5022-35-3-12	5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10	5522-35-2-12	5522-35-3-12	5524-35-3-12
DIMENSIONS		dimensions in metres									
Bed width (excl. sides)	A	2.27	2.27	2.27	2.13	2.13	2.13	2.27	2.27	2.27	2.41
Bed width (inc. sides)	B	2.17	2.17	2.17	2.03	2.03	2.03	2.17	2.17	2.17	2.31
Overall width (excl. marker lamp)	C	2.29	2.29	2.29	2.15	2.15	2.15	2.29	2.29	2.29	2.43
Overall width (inc. marker lamp)	D	2.46	2.46	2.46	2.32	2.32	2.32	2.46	2.46	2.46	2.6
Bed length	E	5.07	5.07	5.07	5.57	5.57	5.57	5.57	5.57	5.57	5.57
Overall length	F	6.58	6.58	6.58	7.17	7.17	7.17	7.17	7.17	7.17	7.17
Bed height	G	0.59	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.65

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,605	2,665	2,595	2,605	2,665	2,595	2,575	2,635	2,565	2,535


Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Connect

Overview cont.

		476-	6022-35-3-12	6024-35-3-12
DIMENSIONS		dimensions in metres		
Bed width (excl. sides)	A	2.27	2.41	
Bed width (inc. sides)	B	2.17	2.31	
Overall width (excl. marker lamp)	C	2.29	2.43	
Overall width (inc. marker lamp)	D	2.46	2.6	
Bed length	E	6.09	6.09	
Overall length	F	7.63	7.63	
Bed height	G	0.65	0.65	
CAPACITY		weight in kg		
Gross capacity		3,500	3,500	
Load capacity		2,535	2,505	

Load capacity will vary depending on options fitted -
 For accurate information on weights and pricing, use our interactive configurator at
www.brianjamestrailers.co.uk



Connect

Equipment cont.

	476-	
	6022-35-3-12	6024-35-3-12
	● Standard	○ Option
EXTERIOR		
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●
Full exterior LED lighting	●	●
DECK		
Deck storage	○	○
LOADING		
Battery w/ charger	○	○
Loading ramps - 1.8m	○	○
Loading ramps - 2.35m	○	○
Tail panel - 0.77m	○	○
Tail panel torsion bar	○	○
Tail panel assistor ramps	○	○
High-mesh tail panel - 1.66m	○	○
High-mesh tail panel - 1.8m	○	○
Manual / Electric tilt-bed	○	○
Manual / Electric winch	○	○
Support stands	○	○
LOAD RESTRAINT		
Tie-down straps	○	○
Wheel chocks / Stop bar	○	○
OPTION PACKS		
Electric assistance pack - includes: Electric winch, hydraulics, on-board battery & battery charger	○	○
RUNNING GEAR		
Alloy wheels - Anthracite	○	○
Eye coupling	○	○
Locking hitch	●	●
Spare wheel	●	●
SIDES		
Dropsides - available in 5 colours	○	○
Headboard - available in 5 colours	○	○
Ladder rack	○	○
Side extensions	○	○

Connect

Loading angles

	476-																					
	3118-30-2-10		3618-30-2-10		3620-35-2-12		4020-35-2-12		4021-35-2-12		4521-35-3-10		4521-35-2-12		5021-35-3-10		5021-35-2-12		5021-35-3-12			
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	18.5°	-	18.5°	-	20.5°	-	20.5°	-	20.5°	-	18.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	20.5°	8°
Loading ramps - 2.35m	14°	-	14°	-	15.5°	-	15.5°	-	15.5°	-	14°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	15.5°	6°
Tail panel - 0.77m	-	-	-	-	-	-	-	-	-	-	-	19°	-	18.5°	-	19°	-	18.5°	-	18.5°	-	18.5°
Tail panel - 0.77m w/ Assistor ramps	-	-	-	-	-	-	-	-	-	-	-	6.5/16°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/15.5°
High-mesh tail panel - 1.66m	20°	-	20°	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
High-mesh tail panel - 1.8m	-	-	-	-	19.5°	-	19.5°	-	19.5°	-	17.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°	19.5°	7°

	5022-35-3-10		5022-35-2-12		5022-35-3-12		5521-35-3-10		5521-35-2-12		5521-35-3-12		5522-35-3-10		5522-35-2-12		5522-35-3-12		5524-35-3-12			
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt		
	Loading ramps - 1.8m	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	20.5°	8°	20.5°
Loading ramps - 2.35m	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	15.5°	6°	15.5°	6°
Tail panel - 0.77m	-	19°	-	18.5°	-	18.5°	-	19°	-	18.5°	-	18.5°	-	19°	-	18.5°	-	18.5°	-	18.5°	-	18.5°
Tail panel - 0.77m w/ Assistor ramps	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/15.5°
High-mesh tail panel - 1.66m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
High-mesh tail panel - 1.8m	17.5°	7°	19.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°	19.5°	7°	19.5°	7°

	6022-35-3-12		6024-35-3-12	
	Fixed	Tilt	Fixed	Tilt
	Loading ramps - 1.8m	20.5°	8°	20.5°
Loading ramps - 2.35m	15.5°	6°	15.5°	6°
Tail panel - 0.77m	-	18.5°	-	18.5°
Tail panel - 0.77m w/ Assistor ramps	-	6.5/15.5°	-	6.5/15.5°
High-mesh tail panel - 1.66m	-	-	-	-
High-mesh tail panel - 1.8m	19.5°	7°	19.5°	7°