


T Transporter

Overview



		231-	4520-30-2-10	4520-35-2-12	4521-35-3-10	4521-35-2-12	5021-35-3-10	5021-35-2-12	5021-35-3-12	5022-35-3-10	5022-35-2-12	5022-35-3-12
DIMENSIONS			dimensions in metres									
Bed width (excl. sides)	A	2.0	2.0	2.14	2.14	2.14	2.14	2.14	2.14	2.28	2.28	2.28
Bed width (inc. sides)	B	1.96	1.96	2.1	2.1	2.1	2.1	2.1	2.1	2.24	2.24	2.24
Overall width (excl. marker lamp)	C	2.04	2.04	2.18	2.18	2.18	2.18	2.18	2.18	2.32	2.32	2.32
Overall width (inc. marker lamp)	D	2.23	2.23	2.37	2.37	2.37	2.37	2.37	2.37	2.51	2.51	2.51
Bed length	E	4.52	4.52	4.52	4.52	5.02	5.02	5.02	5.02	5.02	5.02	5.02
Overall length	F	6.09	6.09	6.09	6.09	6.6	6.6	6.6	6.6	6.6	6.6	6.6
Bed height	G	0.59	0.65	0.59	0.65	0.59	0.65	0.65	0.65	0.59	0.65	0.65

CAPACITY		weight in kg										
Gross capacity		3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,207	2,672	2,602	2,657	2,540	2,600	2,535	2,530	2,580	2,525	2,525

		5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10	5522-35-2-12	5522-35-3-12	5523-35-3-12	6022-35-3-12	6023-35-3-12	
DIMENSIONS		dimensions in metres									
Bed width (excl. sides)	A	2.14	2.14	2.14	2.28	2.28	2.28	2.42	2.28	2.42	
Bed width (inc. sides)	B	2.1	2.1	2.1	2.24	2.24	2.24	2.38	2.24	2.38	
Overall width (excl. marker lamp)	C	2.18	2.18	2.18	2.32	2.32	2.32	2.46	2.32	2.46	
Overall width (inc. marker lamp)	D	2.37	2.37	2.37	2.51	2.51	2.51	2.65	2.51	2.65	
Bed length	E	5.52	5.52	5.52	5.52	5.52	5.52	5.52	6.02	6.02	
Overall length	F	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.6	7.6	
Bed height	G	0.59	0.65	0.65	0.59	0.65	0.65	0.65	0.65	0.65	

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,512	2,575	2,507	2,482	2,542	2,472	2,442	2,442	2,420	2,420

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

T Transporter

Loading angles

	231-																			
	4520-30-2-10		4520-35-2-12		4521-35-3-10		4521-35-2-12		5021-35-3-10		5021-35-2-12		5021-35-3-12		5022-35-3-10		5022-35-2-12		5022-35-3-12	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	16.5°	18.5°	18.5°	-	20.5°	-	20.5°	-	20.5°	-	18.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°
Loading ramps - 1.8m w/ Assistor ramps	3.5/14°	3.5/16.5°	14°	-	15.5°	-	15.5°	-	15.5°	-	14°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°
Loading ramps - 2.35m	12.5°	14°	-	-	-	-	-	-	-	-	-	19°	-	18.5°	-	19°	-	18.5°	-	18.5°
Loading ramps - 2.35m w/ Assistor ramps	3.5/10.5°	3.5/12.5°	-	-	-	-	-	-	-	-	-	6.5/16°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°

	5521-35-3-10		5521-35-2-12		5521-35-3-12		5522-35-3-10		5522-35-2-12		5522-35-3-12		5523-35-3-12		6022-35-3-12		6023-35-3-12	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
	Loading ramps - 1.8m	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°
Loading ramps - 1.8m w/ Assistor ramps	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°
Loading ramps - 2.35m	-	19°	-	18.5°	-	18.5°	-	19°	-	18.5°	-	18.5°	-	19°	-	18.5°	-	18.5°
Loading ramps - 2.35m w/ Assistor ramps	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°	-	6.5/16°	-	6.5/15.5°	-	6.5/15.5°